

# SAFETY DATA SHEET

## 1. Identification

Product identifier Premium Prediluted Antifreeze/Coolant

Other means of identification

**FIR No.** 188858

Recommended use Engine antifreeze/coolant

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name Ford Motor Company

Address Attention: SDS Information, P.O. Box 1899

Dearborn, Michigan 48121

USA

**Telephone** 1-800-392-3673

SDS Information 1-800-448-2063 (USA and Canada)

fordsds.com

**Emergency telephone** 

numbers

Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, repeated

Category 1

exposure

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause respiratory irritation. Causes damage to organs through prolonged or repeated

exposure.

**Precautionary statement** 

Prevention Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product. Use only outdoors or in a well-ventilated area.

Response If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor if you feel unwell.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from

sunlight.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise HARMFUL OR FATAL IF SWALLOWED.

**classified (HNOC)** Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Supplemental information None.

## 3. Composition/information on ingredients

**Mixtures** 

Version: 01

FIR No.: 188858 SDS US

Issue Date: 06-30-2021

1/7

Chemical name	Common name and synonyms	CAS number	%
ETHYLENE GLYCOL		107-21-1	51.47
2,2'-Oxydiethanol		111-46-6	2.57

## 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

center or doctor/physician if you feel unwell.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and delayed

 $Convulsions.\ Dizziness.\ Nausea,\ vomiting.\ Abdominal\ pain.\ May\ cause\ respiratory\ irritation.$ 

Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

**General information**If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed. Upon decomposition, this product emits

carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Avoid contact with eyes, skin, and clothing. Do not breathe mist/vapors. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift. This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Do not breathe mist/vapors. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Wear appropriate personal protective equipment. For personal protection, see Section 8 of the SDS.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

FIR No.: 188858 SDS US
Version: 01 2 / 7

Avoid discharge into drains, water courses or onto the ground.

Issue Date: 06-30-2021

## 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

116	ACCIL	<b>Threshold</b>	Limit	Values
US.	ACGIH	inresnoia	Limit	values

Components	Туре	Value	Form
ETHYLENE GLYCOL (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
US. Workplace Environmental Ex	posure Level (WEEL) Guides		
Components	Туре	Value	
2,2'-Oxydiethanol (CAS 111-46-6)	TWA	10 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, appropriate local exhaust ventilation, or other engineering controls to control airborne levels below the

recommended exposure limits/guidelines.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Suitable chemical protective gloves should be worn when the potential exists for skin exposure.

The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Protective gloves are recommended.

Polyvinyl chloride (PVC). Rubber gloves. Nitrile.

Other Wear appropriate chemical resistant clothing if applicable.

Respiratory protection If engineering controls do not maintain airborne concentrations to a level which is adequate to

protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection

Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical stateLiquid.FormLiquid.ColorGreen.

Odor Not established.
Odor threshold Not available.

**pH** 10.5

Melting point/freezing point Not available.

Initial boiling point and boiling 226.4 °F (108 °C)

range

Flash point > 249.8 °F (> 121.0 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) 3.2 % V/VExplosive limit - upper (%) 15.3 % V/V

FIR No.: 188858 SDS US

Issue Date: 06-30-2021

Vapor pressure 23.33 hPa @ 20°C Vapor density Not available. 1.083 (Water=1) Relative density Relative density temperature 60.01 °F (15.56 °C)

Solubility(ies)

Soluble Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity** 

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

### 11. Toxicological information

## Information on likely routes of exposure

May cause irritation to the respiratory system. May cause damage to organs through prolonged or Inhalation

repeated exposure by inhalation. Prolonged inhalation may be harmful.

Skin contact Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Eye contact

HARMFUL OR FATAL IF SWALLOWED. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Convulsions. Dizziness. Nausea, vomiting. Abdominal pain. May cause respiratory irritation.

#### Information on toxicological effects

**Acute toxicity** 

Components	Species	Calculated/Test Results
2,2'-Oxydiethanol (CAS 11	1-46-6)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	11890 mg/kg
Oral		
LD50	Cat	3300 mg/kg
	Dog	9000 mg/kg
	Guinea pig	8700 mg/kg
		14 g/kg
	Mouse	26500 mg/kg
		23700 mg/kg
		13.3 g/kg
	Rabbit	26.9 g/kg
	Rat	16600 mg/kg
		12570 mg/kg
		15.6 g/kg

FIR No.: 188858 SDS US

Issue Date: 06-30-2021

Components	Species	Calculated/Test Results	
Other			
LD50	Mouse	22500 mg/kg	
		9.6 g/kg	
	Rabbit	2000 mg/kg	
	Rat	18800 mg/kg	
		7700 mg/kg	
		18.8 g/kg	
		8.9 g/kg	
		7.7 g/kg	
ETHYLENE GLYCOL (CAS 107-2	21-1)		
Acute			
<b>Dermal</b> LD50	Rabbit	9530 mg/kg	
Oral	Rabbit	9330 Hig/kg	
LD50	Cat	1650 mg/kg	
2000	Dog	> 8.81 g/kg	
	Dog		
	Guinea pig	5500 mg/kg 8.2 g/kg	
	Mouse		
		14.6 g/kg	
	Rat	5.89 g/kg	
Other	Mouse	10 0/10	
LD50	Mouse	10 g/kg	
	Det	5.8 g/kg	
	Rat	5010 mg/kg	
		3260 mg/kg	
		2800 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irrita	tion.	
Respiratory or skin sensitization			
Respiratory sensitization Skin sensitization	Not a respiratory sensitizer.  This product is not expected to cause skin sensitization.		
Germ cell mutagenicity			
Germ cen mutagementy	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall Not listed.	Evaluation of Carcinogenicity		
OSHA Specifically Regulate Not listed.	ed Substances (29 CFR 1910.1001-1053)		
Reproductive toxicity	Components in this product have been shown to cause birth defects and reproductive disorders in laboratory animals.		
Specific target organ toxicity - single exposure	May cause respiratory irritation.		
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Blood. Central nervous system. Heart. Lungs. Kidneys.		
Aspiration hazard	If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death.		
Chronic effects	Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated exposure. Prolonged exposure may cause chronic effects.		

FIR No.: 188858 SDS US

Version: 01 Issue Date: 06-30-2021

## 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Ecotoxicity** 

Components **Species** Calculated/Test Results

2,2'-Oxydiethanol (CAS 111-46-6)

Aquatic

LC50 Fish Western mosquitofish (Gambusia affinis) > 32000 mg/l, 96 hours

ETHYLENE GLYCOL (CAS 107-21-1)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 8050 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ETHYLENE GLYCOL -1.36

Mobility in soil No data available. This product is miscible in water and may not disperse in soil.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Not established. Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

**US** federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

ETHYLENE GLYCOL (CAS 107-21-1) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

FIR No.: 188858 SDS US

Issue Date: 06-30-2021

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Specific target organ toxicity (single or repeated exposure)

categories

SARA 313 (TRI reporting)

**Chemical name CAS** number % by wt. ETHYLENE GLYCOL 107-21-1 51.47

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

ETHYLENE GLYCOL (CAS 107-21-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

### **US** state regulations

#### **California Proposition 65**



WARNING: This product can expose you to ETHYLENE GLYCOL, which is known to the State of California to

cause birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

### California Proposition 65 - CRT: Listed date/Developmental toxin

ETHYLENE GLYCOL (CAS 107-21-1) Listed: June 19, 2015

#### International Inventories

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

## 16. Other information, including date of preparation or last revision

06-30-2021 Issue date

Version

**HMIS®** ratings Health: 2

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 2

> Flammability: 1 Instability: 0

**Preparation Information and** 

**Disclaimer** 

This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer

packaged product labels, the SDS should be followed.

Part number(s) VC-5DIL

FIR No.: 188858 SDS US

7/7