

# SAFETY DATA SHEET

## 1. Identification

**Product identifier Detail Wash** 

Other means of identification

FIR No. 152626

Recommended use Automotive exterior cleaner

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** Ford Motor Company

**Address** Attention: SDS Information, P.O. Box 1899

Dearborn, Michigan 48121

USA

1-800-392-3673 **Telephone** 

**SDS Information** 1-800-448-2063 (USA and Canada)

fordsds.com

**Emergency telephone** 

numbers

Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

# 2. Hazard(s) identification

Not classified. Physical hazards

**Health hazards** Carcinogenicity Category 2 **Environmental hazards** Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

Category 1

long-term hazard

**OSHA** defined hazards Not classified.

Label elements





Signal word Warning

Hazard statement Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting

effects.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid release to the environment. Wear protective gloves/protective clothing/eye

protection/face protection.

If exposed or concerned: Get medical advice/attention. Take off contaminated clothing and wash Response

it before reuse. Collect spillage.

Store locked up. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal** 

Hazard(s) not otherwise

classified (HNOC)

May irritate eyes and skin. May cause irritation of respiratory tract.

Supplemental information None.

# 3. Composition/information on ingredients

### **Mixtures**

FIR No.: 152626 SDS US Version: 01

1/7

Chemical name	Common name and synonyms	CAS number	%
Amides, coco, N.N-bis(hydroxyethyl)		68603-42-9	5 - 10
SODIUM		25155-30-0	5 - 10
DODECYLBENZENESULFONATE		20100 00 0	
Sodium Laureth Sulfate		9004-82-4	5 - 10
(2-Methoxymethylethoxy)propanol		34590-94-8	1 - 5

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

**General information** 

Use extinguishing agent suitable for type of surrounding fire.

Not applicable.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Keep people away from and upwind of spill/leak. Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS. The miscibility and distribution of this product in water has not been determined.

### **Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

FIR No.: 152626 SDS US Version: 01 2/7

# 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Avoid prolonged exposure. Provide adequate ventilation. Should be handled in closed systems, if possible. Avoid release to the environment. Observe good industrial hygiene practices. Wear appropriate personal protective equipment. For personal protection, see Section 8 of the SDS.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

## Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Type	Value	
(2-Methoxymethylethoxy)pr opanol (CAS 34590-94-8)	PEL	600 mg/m3	
		100 ppm	
US. ACGIH Threshold Limit Value	s (TLV)		
Components	Туре	Value	
(2-Methoxymethylethoxy)pr opanol (CAS 34590-94-8)	TWA	50 ppm	
NIOSH. Immediately Dangerous to	o Life or Health (IDLH) Value:	s, as amended	
Components	Туре	Value	
(2-Methoxymethylethoxy)pr opanol (CAS 34590-94-8)	IDLH	1.1 %	
		600 ppm	
US. NIOSH: Pocket Guide to Cher	nical Hazards Recommende	d Exposure Limits (REL)	
Components	Туре	Value	
(2-Methoxymethylethoxy)pr opanol (CAS 34590-94-8)	STEL	900 mg/m3	
		150 ppm	
	TWA	600 mg/m3	

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

US - California OELs: Skin designation

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Can be absorbed through the skin.

US - Tennessee OELs: Skin designation

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation** 

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Can be absorbed through the skin.

Appropriate engineering controls

Use adequate ventilation to control airborne concentrations below the exposure limits/quidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, appropriate local exhaust ventilation, or other engineering controls to control airborne levels below the recommended exposure limits/guidelines.

100 ppm

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Suitable chemical protective gloves should be worn when the potential exists for skin exposure.

The choice of an appropriate glove does not only depend on its material but also on other quality

features and is different from one producer to the other. Nitrile or neoprene gloves are

recommended.

SDS US FIR No.: 152626

Issue Date: 07-21-2023

Version: 01

Other Wear appropriate chemical resistant clothing if applicable.

If engineering controls do not maintain airborne concentrations to a level which is adequate to Respiratory protection

> protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection

Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.

**Form** Aqueous solution.

Color Green Odor Soapy.

Odor threshold Not available. > 10 - < 10.5 32 °F (0 °C) Melting point/freezing point 212 °F (100 °C) Initial boiling point and boiling

range

Not available. Flash point **Evaporation rate** 0.1 (BuAc=1) Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure

Not available. Vapor density Relative density 1 (Water=1) 70 °F (21.11 °C) Relative density temperature

Solubility(ies)

Solubility (water) 100 %

Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** > 30 - < 60 cP **Viscosity** Viscosity temperature 70 °F (21.11 °C)

Other information

Density 8.41 lb/gal VOC 2.08 g/l

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents. Peroxides. Phenols.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

FIR No.: 152626 SDS US Version: 01

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Based on available data, the classification criteria are not met. May cause irritation to the

respiratory system. Prolonged inhalation may be harmful.

**Skin contact**Based on available data, the classification criteria are not met. Prolonged skin contact may

cause temporary irritation.

Eye contact Based on available data, the classification criteria are not met. Direct contact with eyes may

cause temporary irritation.

**Ingestion** Based on available data, the classification criteria are not met. May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

**Acute toxicity** 

Components Species Calculated/Test Results

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8)

**Acute** 

**Dermal** 

LD50 Rabbit 9.5 g/kg

Oral

LD50 Rat 5.4 ml/kg

5.35 g/kg

Amides, coco, N,N-bis(hydroxyethyl) (CAS 68603-42-9)

**Acute** 

Oral

LD50 Rat > 5000 mg/kg

12200 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amides, coco, N,N-bis(hydroxyethyl) (CAS 68603-42-9) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

FIR No.: 152626 SDS US
Version: 01 5 / 7

## Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

SODIUM DODECYLBENZENESULFONATE 0.45

**Mobility in soil**No data available. This product is miscible in water and may not disperse in soil.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code D002: Waste Corrosive material [pH ≤2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging**Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

SODIUM DODECYLBENZENESULFONATE Listed.

(CAS 25155-30-0)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

categories

Carcinogenicity

SARA 313 (TRI reporting)

Not regulated.

FIR No.: 152626 SDS US
Version: 01 6 / 7

## Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## **US** state regulations

### California Proposition 65



WARNING: This product can expose you to Amides, coco, N,N-bis(hydroxyethyl), which is known to the State

of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

Amides, coco, N,N-bis(hydroxyethyl) Listed: June 22, 2012

(CAS 68603-42-9)

### **International Inventories**

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

# 16. Other information, including date of preparation or last revision

07-21-2023 Issue date

Version 01

**HMIS®** ratings Health: 1

Flammability: 0 Physical hazard: 0

Health: 1 NFPA ratings

Flammability: 0 Instability: 0

**Preparation Information and** 

Disclaimer

This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer

packaged product labels, the SDS should be followed.

ZC-3-A Part number(s)

FIR No.: 152626 Version: 01 7/7