# SAFETY DATA SHEET

## 1. Identification

Ford

Motorcraft.

Product identifier	Premium Leather and Vinyl Cleaner
Other means of identification FIR No.	191765
Recommended use	Leather and vinyl cleaner
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
Company Name	Ford Motor Company
Address	Attention: SDS Information, P.O. Box 1899
	Dearborn, Michigan 48121
	USA
Telephone	1-800-392-3673
SDS Information	1-800-448-2063 (USA and Canada)
	fordsds.com
Emergency telephone numbers	
	Poison Control Center: USA and Canada: 1-800-959-3673
	INFOTRAC (Transportation): USA and Canada 1-800-535-5053

## 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning	
Hazard statement	Causes skin irritation. Causes serious eye irritation.	
Precautionary statement		
Prevention	Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.	
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Not available.	
Disposal	Not available.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

## 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Sodium xylenesulphonate		1300-72-7	0.91

Chemical name	Common name and synonyms	CAS number	%
disodium metasilicate		6834-92-0	0.27
Alcohols C9-11 Ethoxylated		68439-46-3	0.2
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	ns develop or persist.	
Skin contact	Remove contaminated clothing. Wash with pl medical advice/attention. Wash contaminated		n irritation occurs: Get
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Get		
Ingestion	Rinse mouth. Get medical attention if sympto	oms occur.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include vision. Skin irritation. May cause redness and		elling, and blurred
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tre Symptoms may be delayed.	at symptomatically. Keep victi	m under observation.
General information	Ensure that medical personnel are aware of the protect themselves.	he material(s) involved, and ta	ke precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Use extinguishing agent suitable for type of s	urrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may b carbon monoxide, carbon dioxide and/or low		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	rotective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.	
Specific methods	Use standard firefighting procedures and con-	sider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Avoid contact with eyes, skin, and clothing. A ventilation. Do not touch damaged containers protective clothing. Keep people away from al away. Local authorities should be advised if s appropriate protective equipment and clothing section 8 of the SDS.	s or spilled material unless wea nd upwind of spill/leak. Keep ι ignificant spillages cannot be	aring appropriate innecessary personne contained. Wear
Methods and materials for	The product is completely soluble in water.		
containment and cleaning up	Large Spills: Stop the flow of material, if this i possible. Absorb in vermiculite, dry sand or e recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material remove residual contamination.	l (e.g. cloth, fleece). Clean sur	face thoroughly to
	Never return spills to original containers for re	e-use. For waste disposal, see	section 13 of the
Environmental precautions	Avoid discharge into drains, water courses or	onto the ground.	
7. Handling and storage			
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. A ventilation. Observe good industrial hygiene p equipment. For personal protection, see Sect	practices. Wear appropriate pe	
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away f SDS).	rom incompatible materials (s	ee Section 10 of the
FIR No.: 191765			SDS US

## 8. Exposure controls/personal protection

	•	
Occupational exposure limits	re limits This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Provide eyewash station and safety shower. Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, appropriate local exhaust ventilation, or other engineering controls to control airborne levels below the recommended exposure limits/guidelines.	
Individual protection measures,	such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Suitable chemical protective gloves should be worn when the potential exists for skin exposure. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Neoprene or butyl rubber gloves are recommended.	
Other	Wear appropriate chemical resistant clothing if applicable.	
Respiratory protection	If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Aqueous solution.
Color	Cloudy.
Odor	Characteristic.
Odor threshold	Not available.
рН	9.5 - 11.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	1 (Water=1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1 - 1.1 (Water=1)
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
VOC	0 % w/w

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation Based on available data, the classification criteria are not met. Prolonged harmful.		Based on available data, the classification criteria are not met. Prolonged inhalation may be harmful.
	Skin contact	Causes skin irritation.
	Eye contact	Causes serious eye irritation.
	Ingestion	Based on available data, the classification criteria are not met. May be harmful if swallowed.
	Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
	Information on toulo dealers of	

### Information on toxicological effects

Acute toxicity

Components	Species	Calculated/Test Results
disodium metasilicate (CAS 6834	-92-0)	
Acute		
Oral		
LD50	Mouse	2400 mg/kg
	Rat	1280 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	n	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitiza	tion.
Germ cell mutagenicity	No data available to indicate product or any compor mutagenic or genotoxic.	nents present at greater than 0.1% are
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed.		
	ed Substances (29 CFR 1910.1001-1053)	
Not listed.	<b>-</b>	
Reproductive toxicity	This product is not expected to cause reproductive of	or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information		
Ecotoxicity	The product is not classified as environmentally haz possibility that large or frequent spills can have a ha	

Ecotoxicity			
Components		Species	Calculated/Test Results
disodium metasilicate (CAS	6834-92-0)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	>= 0.28 - <= 0.57 mg/l, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	1800 mg/l, 96 hours
Persistence and degradability	No data is ava	ailable on the degradability of any ingredie	ents in the mixture.
Bioaccumulative potential	No data avail	able.	
Mobility in soil	This product i	s completely water soluble and will dispe	rse in soil.
Other adverse effects		erse environmental effects (e.g. ozone de locrine disruption, global warming potenti	

### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

### DOT

Footovialty

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

#### Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### **Toxic Substances Control Act (TSCA)**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazard	dous substance
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Skin corrosion or irritation Serious eye damage or eye irritation

### SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

#### **US state regulations**

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

### **International Inventories**

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

### 16. Other information, including date of preparation or last revision

Issue date	08-29-2023
Version	01
HMIS <sup>®</sup> ratings	Health: 1 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Preparation Information and Disclaimer	This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer packaged product labels, the SDS should be followed.
Part number(s)	ZC-56